Appendix 5.4.5-A

Draft Section 106 Memorandum of Agreement

MEMORANDUM OF AGREEMENT AMONG THE FEDERAL RAILROAD ADMINISTRATION, THE FLORIDA STATE HISTORIC PRESERVATION OFFICER AND ALL ABOARD FLORIDA – OPERATIONS, LLC FOR THE EAU GALLIE RIVER AND ST. SEBASTIAN RIVER BRIDGES ASSOCIATED WITH THE ALL ABOARD FLORIDA INTERCITY PASSENGER RAIL PROJECT ORLANDO TO MIAMI, FLORIDA

WHEREAS, the Federal Railroad Administration (FRA) has determined that the construction of the All Aboard Florida Intercity Rail Project will have an Adverse Effect upon the Eau Gallie River (Florida Master Site File Number 8BR3058) and Sebastian River Bridges (Florida Master Site File Numbers 8BR3062/8IR1569), which are eligible for inclusion in the National Register of Historic Places (NRHP); and

WHEREAS, the proposed undertaking will require the removal of the existing Eau Gallie River (Florida Master Site File Number 8BR3058) and Sebastian River Bridges (Florida Master Site File Numbers 8BR3062/8IR1569); and,

WHEREAS, the FRA has consulted with the Florida State Historic Preservation Officer (SHPO) pursuant to 36 CFR Part 800, regulations implementing Section 106 of the National Historic Preservation Act (16 U.S.C. 470(f)); and

WHEREAS, through consultation the Florida SHPO has concurred that the proposed project will have an Adverse Effect on the Eau Gallie River (Florida Master Site File Number 8BR3058) and Sebastian River Bridges (Florida Master Site File Numbers 8BR3062/8IR1569); and,

WHEREAS, the FRA has notified the Advisory Council on Historic Preservation (Council) of the Adverse Effect, and the Council has declined to comment or participate in the consultation; and

WHEREAS, local consultation was undertaken at the scoping meetings and DEIS public meetings, where the Section 106 of the National Historic Preservation Act process and historic resources were presented to the public and locally affected parties; and

NOW THEREFORE, FRA and the Florida SHPO agree that the undertaking shall be implemented in accordance with the following stipulations in consideration of the effects this undertaking will have on the referenced historic properties:

STIPULATIONS

The FRA and All Aboard Florida – Operations, LLC (All Aboard Florida) will ensure that the following measures are carried out:

I. Design and Construction of Replacement Bridges

- A. All Aboard Florida will consult with the Florida SHPO to serve in an advisory capacity regarding appropriate design elements for the two replacement bridges that may be addressed during the development of the Project. The Florida SHPO will be provided with the opportunity to review the 60% and 90% design plans directly related to the two replacement bridges.
- B. Should there be any substantive alterations to the project design of the two bridges that could result in adverse effects to historic resources not addressed in this agreement, the FRA shall notify the Florida SHPO of these alterations and provide the Florida SHPO with an opportunity to review and comment on the alterations.

II. Documentation of Current Conditions

- A. Prior to the demolition of the bridges, All Aboard Florida will perform the following documentation of the Eau Gallie River (Florida Master Site File Number 8BR3058) and Sebastian River Bridges (Florida Master Site File Numbers 8BR3062/8IR1569) in accordance with Historic American Engineering Record (HAER) standards;
 - i. Drawings Select drawings of the existing bridge plans, as available, scanned and provided in an acceptable digital format (i.e. jpeg files).
 - ii. Photographs Photographs with large-format negatives of context and views from all sides of the bridges and approaches, roadway and deck views, and noteworthy features and details. All negatives and prints will be processed to meet archival standards. One photograph of a principal elevation shall include a scale.
 - iii. Written Data Reports with narrative description of each bridge, summary of significance, and historical context.
- B. All Aboard Florida will provide copies of the documentation completed in accordance with Stipulation I.A as follows:

- i. An archival copy of documentation for both bridges to the U.S. Department of Interior, National Park Service Southeast Regional Office for review and approval prior to demolition of the structure, per HAER guidelines; and
- ii. An archival copy of documentation for both bridges to the Florida SHPO for inclusion in the Florida Master Site File (FMSF); and
- iii. A copy of documentation for both bridges to the Florida Historical Society in Cocoa, Florida, and a copy of the Sebastian River Bridge documentation to the Indian River County Historical Society in Vero Beach, Florida.

III. Historic Website

- A. All Aboard Florida shall consult with the Florida SHPO as part of the development of a website that will focus and highlight the contributions of Henry Morrison Flagler, the history of the Florida East Coast Railway and its passenger rail service along the corridor.
- B. Prior to the public having access to the website, All Aboard Florida will meet with Florida SHPO and demonstrate the website content to ensure that all historic information is accurate and consistent with historic records.
- C. The website will be available for public access for a minimum of five (5) years from the start of revenue service by All Aboard Florida and will be updated as appropriate.
- D. All Aboard Florida will provide a link on its website to the historic website to enable both interested passengers and the general public with access to the historic information.

IV. Archeological Monitoring/Discoveries

- A. Should an inadvertent discovery of unmarked human burials be encountered during construction of the Project, All Aboard Florida will ensure that they are recovered and treated in accordance with Chapter 872.05, Florida Statutes and FDOT Standard Specifications for Road & Bridge Construction 2010, Section 7-1.6, "Discovery of Human Unmarked Burials."
- B. All Aboard Florida, in consultation with the Florida SHPO, will ensure efforts to avoid, minimize or mitigate adverse effects to any discoveries of significant archaeological resources inadvertently discovered during the Project are addressed in accordance with 36 CFR 800.13(b). All records resulting from archaeological discoveries shall be handled in accordance with 36 CFR 79; and shall be submitted to the Florida SHPO.

C. All Aboard Florida commits to archaeological monitoring during ground-disturbing activities related to project construction within and adjacent to the following potentially significant archaeological sites that may extend into the FECR Right-Of-Way (ROW): Gifford Bones (8IR7), Vero Man (8IR9), Railroad (8IR846), Hobe Sound National Wildlife Refuge #3 (8MT1287) (See Attachment 1 – Hobe Sound Archaeological monitoring plan), Ft. Capron (8SL41), and Avenue A (8SL1772). Such monitoring will be conducted at the discretion of the archaeological monitor, and will be in compliance with the project Unanticipated Finds/Monitoring Plan. Further AAF commits to coordinate monitoring results, discoveries and findings with the Florida SHPO for their concurrence.

V. Professional Qualifications

A. All architectural history work or archaeological work carried out pursuant to this Agreement shall be conducted by, or under the direct supervision of, a person or persons meeting the Secretary of the Interior's Professional Qualifications Standards for Architectural History (48 FR 44738-9); and that all archaeological work is carried out by, or under the direct supervision of, a person or persons meeting the Secretary of the Interior's Professional Qualifications Standards for Archaeology (48 FR 44738-9).

VI. Dispute Resolution

- A. Should any signatory party object in writing to FRA regarding any action carried out or proposed with respect to the undertaking or implementation of this Agreement, FRA shall consult with the objecting party to resolve the objection. If after initiating such consultation FRA determines that the objection cannot be resolved through consultation, FRA shall forward all documentation relevant to the objection to the Council, including FRA's proposed response to the objection. Within 30 days after receipt of all pertinent documentation, the Council shall either:
 - i. Provide FRA with recommendations, which FRA will take into account in reaching a final decision regarding the dispute;
 - ii. Notify FRA that it will comment pursuant to 36 CFR Part 800, and proceed to refer the objection and comment. Any Council comment provided in response to such a request will be taken into account by the FRA in accordance with 36 CFR Part 800.7 (c) (4) with reference to the subject of the dispute.
- B. Any recommendations or comments provided by the Council will be understood to pertain only to the subject of the dispute; FRA and All Aboard Florida's

responsibility to carry out of the actions under this agreement that are not the subject of the dispute will remain unchanged.

VII. Amendments

A. Any signatory party to this Agreement may request that it be amended, whereupon the signatory parties will consult in accordance with CFR Part 800.6 to consider such an amendment. All parties must signify their acceptance of the proposed changes in writing within 30 days of their receipt. This Agreement shall only be amended by a written instrument executed by all the parties. The amendment will be effective on the date of signature of the last party to sign the amendment. When no consensus can be reached, the Agreement will not be amended and the dispute resolution process set forth in Stipulation VI will be followed.

VIII. Termination

A. Any of the signatory parties may terminate this Agreement by providing notice to the other parties, provided that the parties will consult during the period prior to termination to seek agreement on amendments or other actions that would avoid termination. Termination of this Agreement will require compliance with 36 CFR 800. This Agreement may be terminated by the execution of a subsequent Agreement that explicitly terminates or supersedes its terms.

IX. Duration

A. Unless terminated pursuant to Stipulation VIII above, this Agreement will be in effect until FRA, in consultation with the other Signatory Parties determines that all of its terms have been satisfactorily fulfilled or if All Aboard Florida is unable or decides not to construct the Project.

Execution of this MOA by the FRA and Florida SHPO, and implementation of its terms, provides evidence that the FRA has taken into account the effects of the Project on the historic properties.

SIGNATORIES:

Federal Railroad Administration

David Valenstein	Date		
Chief Environment and Systems Planning Division			

Robert F. Bendus	
Florida State Historic Preservation	Officer

Date

Michael Reininger President All Aboard Florida – Operations, LLC

Date

Aboard Florida – Operations, LLC

Attachment 1

Hobe Sound Archaeological Monitoring/Unanticipated Finds Plan

This Archaeological Monitoring/Unanticipated Finds plan provides recommended requirements for archaeological monitoring during subsurface construction activities associated with construction activities of the AAF project along the corridor.

This Archaeological Monitoring plan was written specifically for a shell scatter located in Martin County. Hobe Sound National Wildlife Refuge #3 (8MT1287) is a shell midden consisting of a thin scatter of shell situated on a dune bluff in the Hobe Sound National Wildlife Refuge adjacent to the west of the Florida East Coast Railway, LLC (FEC) Right of Way (R/W). To date, the only undisturbed portions of this site that have been documented are outside of the FEC R/W. If any portion of the site extends into the FEC R/W, it was likely impacted during previous railroad construction episodes.

Therefore, this plan provides methods to avoid impacts to the site during construction with archaeological monitoring. This will ensure that any chance deposits of redeposited archaeological materials are identified, documented and protected.

Monitoring Methods and Documentation

Given the limited right of way and restricted access to the railroad corridor, an archaeological firm will work with AAF to monitor and make recommendations, dependent on subsurface conditions and the construction activity, for the required level of monitoring. If subsurface deposits are identified, then monitoring will be conducted in the area of the find when safety permits.

This archaeological monitoring plan is designed to identify and protect unmarked human remains and significant archaeological resources that may potentially be encountered during construction activities associated with this project.

Crew Education: Prior to ground disturbing activities all crew members will be briefed on the monitoring goals and procedures, the stratification in the project area, state and local ordinances applying to the project area. Crew members will be shown study collections of midden soil, faunal remains, shell tools, lithic examples, and pottery sherds.

Field Methods: Archaeological monitoring will consist of the observation, collection, and documentation of archaeological features or artifacts encountered during subsurface activities. The documentation of archaeological features and artifacts will involve plotting their approximate locations on a map of the project area; writing a description of the resources encountered that includes their location, size, approximate depth, type of material encountered, and any other pertinent information; drawing of profiles; and the taking of photographs, if deemed appropriate by the archaeological monitor. In most cases, this should not cause any unnecessary delays or work stoppages, as the contractor would be able to move to another location so that the archaeologist would have sufficient time to properly record and collect the features and artifacts.

Any artifacts collected during the course of monitoring will be bagged and recorded separately with the appropriate provenience information noted on the field bags. Obvious features will be treated as separate collection proveniences. Artifacts collected from these features will be bagged separately with the appropriate provenience information. All artifact and soil sample bags will be assigned Field Specimen (FS) numbers in the field. Laboratory processing will consist of the cleaning, inventorying, packaging, and temporary storage of the artifacts recovered. Artifact analysis will involve the morphological and techno-functional classification of artifacts and, if possible, will establish their temporal/cultural affiliations.

Analysis and Report: The results of the archaeological monitoring will be presented to All Aboard Florida Operations in a brief letter report addressing methods, findings, daily logs, and photographs of monitoring operations. A Florida Master Site File (FMSF) form will be completed for any archaeological sites identified during the monitoring.